

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
6 May 2005 (06.05.2005)

PCT

(10) International Publication Number
WO 2005/040985 A3

(51) International Patent Classification⁷: **G06F 19/00**,
15/00, G01N 3/00, 21/00, 21/01, 23/00, G01R 35/00,
C12Q 1/00

[US/US]; 73 Moriarity Drive, Wilton, Connecticut 06897
(US). GU, Ming [US/US]; 416 Schindler Drive, Yardley,
Pennsylvania 19067 (US).

(21) International Application Number:
PCT/US2004/034618

(74) Agent: **AKER, David**; Attorney at Law, 23 Southern
Road, Hartsdale, New York 10530 (US).

(22) International Filing Date: 20 October 2004 (20.10.2004)

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10/689,313 20 October 2003 (20.10.2003) US

(71) Applicant (for all designated States except US): **CERNO** [BIOSCIENCE LLC [US/US]; Suite 13, 5 Science Park,
New Haven, Connecticut 06511 (US)].


(72) Inventors; and

(75) Inventors/Applicants (for US only): **WANG, Yongdong**

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,

[Continued on next page]

(54) Title: METHODS FOR CALIBRATING MASS SPECTROMETRY (MS) AND OTHER INSTRUMENT SYSTEMS AND FOR PROCESSING MS AND OTHER DATA



(57) Abstract: A method for obtaining at least one calibration filter for a Mass Spectrometry (MS) instrument system. Measured isotope peak cluster data in a mass spectral range is obtained for a given calibration standard. Relative isotope abundances and actual mass locations of isotopes corresponding thereto are calculated for the given calibration standard. Mass spectral target peak shape functions centered within respective mass spectral ranges are specified. Convolution operations are performed between the calculated relative isotope abundances and the mass spectral target peak shape functions to form calculated isotope peak cluster data. A deconvolution operation is performed between the measured isotope peak cluster data and the calculated isotope peak cluster data after the convolution operations to obtain the at least one calibration filter. Provisions are made for normalizing peak widths, combining internal and external calibration, and using selected measured peaks as standards. Aspects of the methods are applied to other analytical instruments.



ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(88) Date of publication of the international search report:
9 September 2005

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

- *with international search report*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*